
Given the information denoted in the diagram below, the client has asked you to provide surveying and mapping services necessary to create the parcels as shown.



MONUMENTS FOUND DENOTING THE CLIENT'S PROPERTY THAT WAS PURCHASED IN 1940

### PROBLEM REQUIREMENTS

The answers to the following questions are based upon current California law. You are to answer each of the questions briefly in your own words, or indicate the appropriate citations.

1.	What type of map or maps, if any, are required for this land division?	.:	٠	1 Point
2.	If a map is required, who shall prepare it?			1 Point
3.	Explain whether or not the new parcels are required to be monumerted.			1 Point
1.	If monuments are required or requested, when must they be set?			1 Point

# PROBLEM REQUIREMENTS (conlinued)

•				
	5.	If a map or maps are required, under what conditions would holders of beneficial interests not be required to sign?	4	1 Point
	6.	Excluding lawsuits and moratoriums, and if a final map or parcel map is required, what is the maximum time allowed to record the map?		1 Point
	·.	Under what conditions may the monuments called for on a parcel map or final map be set by another licensed land surveyor?		. 1 Point
		After the completion of your work on the client's property, a tractor removed the monument that you found at the exterior southeast corner. The contractor asks you to replace the corner. What document, if any, would you prepare?		1 Point
		Assuming it is necessary to gain access to the neighboring property to conduct your field survey and the neighbors question your right to be on their property, how would you respond?		1 Point
	10	How can non-title information (i.e., building setback lines, etc.) be filed or recorded with a subdivision map?		1 Point

Due to a conflict in record data, the title company refuses to insure your client's legal description.

Beginning at the northwest corner of Lot 1; east along lot lines 120 feet; south to point on south line 100 feet east of southwest corner of Lot 1; west 100 feet to southwest corner; north to point of beginning.


The title history is as follows:

Owner A acquired lots 1, 2, and 3 in 1964.

In 1970, Owner A conveyed to Owner B by deed recorded in Book 123 of Official Records Page 45, Lot 3 and portion of Lot 2 described as: beginning at the southeast corner of Lot 2; west along the Lot line 50 feet; north to point on northerly line 30 feet west of the northeast corner of Lot 2; east to northeast corner of Lot 2; south to point of beginning.

In 1975, Owner A conveyed to Owner C (your client's predecessor in title) using the same description as your client's deed.

Record of Survey of Lots 1, 2, & 3 of Pacific Subdivision Filed in Book 86 of Maps, Page 50, Records of XYZ County, CA



# PROBLEM REQUIREMENTS

1. Describe the procedure you would use to analyze the data required for providing a legal description of your client's property; this legal description must be acceptable to the title company.

6 Points

2. What interpretations of those data would you make to determine your client's parcel dimensions? Show the dimensions along the northerly and southerly lines of Lot 2.

4 Points


3. Prepare the legal description of your client's parcel.

10 Points

The portion of a township plat shown below has been annotated to show which corners are lost and found at this date. Township 4 North, Range 2 East is bounded by regularly surveyed townships to the west, north, and east, and by Rancho Rivetta to the south.

The found original corners are U.S. Government survey monuments described in the notes of the survey. There are no topographical or accessory calls recovered; the lost original corners have been properly identified as such.

No excessive distortion was found in the record dimensions indicated in the plat and field notes for the rancho and township.



### PROBLEM REQUIREMENTS

Explain the procedure necessary to establish the corners in the following order: 8, 9, 17, 19, 23, 22, 26, 13, 11, 7
 As a licensed land surveyor, what would you be required to file to show the monumentation of:

 Corner 11
 Corner 5

 Describe or cite the definition of:

 a lost corner
 an obliterated corner

 Point 1 Point 1

Your client is interested in purchasing a portion of Block A of the McDonald's Farm Subdivision in Marin County, State of California as shown on the copy of the record map below. The client would like to purchase Lots 2 through 5 and Lots 9 through 13 of the McDonald's Farm Subdivision, Map Book 21. Page 14. You have obtained the measurements from your field crew as shown on the map below. The original map filed in 1920 reveals that all square lots were intended to contain 2.5 acres. The streets are 60 feet wide. A bearing of North shall be assumed for the center line of the street on the east side of Block A

### PROBLEM REQUIREMENT

()n the sheet provided, show the bearing and distance for each line of the parcel to be purchased. 16 Points Use the grid paper provided to show your work.

(EAST) (NO REC. DIST.) 794.42 MEAS. (B) (G NOT TO SCALE FD 4" X 4" POST AT RANCHO ANGLE PT AND LOT CORNER Ä 6LO (E) (F)(H) 10 21. PAGE 12 13 14 (O) MEAS. (NO REC. DIST.) (EAST) LEGEND

Block A, McDonald's Farm Subdivision

- M DESIGNATES FOUND ORIGINAL 2" X 2" REDWOOD HUBS
- SET AT BLOCK CORNERS HOTE: MONUMENTS (8)& (C) ARE ON THE RANCHO UNE
- ( ) INDICATES RECORD INFORMATION
- O CONNER IDENTIFIER

Bearing Distance 2 Points a. Line A -- G 2 Points b. Line B -- G c. Line C -- H 2 Points d. Line D - C 2 Points e. Line E - D 2 Points 2 Points f. Line F - E g. Line G - F 2 Points 2 Points h. Line H - B

# PROBLEM A5

### PROBLEM STATEMENT

California coordinates and basis of bearings for Station ROTS are shown on Sheet 2 along with data for a solar observation at Station RUK.

### PROBLEM REQUIREMENTS

Use the data provided and the diagram on the following page to solve the problem requirements below. Show your work.

1. Determine the latitude and longitude of Station RUK to the nearest 0.01 seconds.

10 Points


2. Reduce the solar observation either by the hour angle or the altitude method.

5 Points

3. Determine the angle of closure at station RUK.

5 Points

## California Zone 4, NAD 27



### **SOLAR OBSERVATION**

Date = May 5, 1988
Time = 5:23:35.0 PDST
Watch is 0.5" fast
D.U.T. = -0.3"
Vert. \( \chi \) to center of sun = 28° 05' 49"
(Corrected for parallax and refraction)

### Solar Ephemeris Table :

	GHA	Declination	SemiDiameter
May 4 W	180° 48' 22.7"	15° 58' 04.3"	15' 53.2"
May 5 Th	180° 49' 44.8"	16° 15′ 19.0″	15' 53.0"
May 6 F	180° 50' 58.4"	16° 32' 17.5"	15' 52.7"
May 7 S	180° 52' 03.3"	16° 48' 59.7"	15' 52.5"

# PROBLEM A5 20 Points

# Lambert Projection for California IV Table I

]	Lat.	Il feet	Y' y value on central meridian feet	Tabular difference for 1 sec.of lat.	Scale in units of 7th place of logs	Scale expressed as a ratio
653	31	28,222,155.97	430,775.99	101.12233	-249.4	0.9999426
	32	28,216,088.63	436,843.33	101.12250	-251.6	0.9999421
	33	28,210,021.28	442,910.68	101.12267	-253.5	0.9999416
	31	28,203,953.92	448,978.04	101.12300	-255.0	0.9999413
	35	28,197,886.54	455,045.42	101.12333	-256.1	0.9999410
6°	36'	28,191,819.14	461,112.82	101.12350	-256.9	0.9999408
	37	28,185,751.73	467,180.23	101.12383	-257.2	0.9999408
	38	28,179,684.30	473,247.66	101.12417	-257.3	0.9999408
	33	28,173,616.85	479,315.11	101.12433	-256.9	0.9999408
	40	28,167,549.39	485,382.57	101.12483	-256.2	0.9999410
67	41'	28,161,481.90	491,450.06	101.12500	-255.1	0.9999413
	42	28,155,414.40	497,517.56	101.12533	-253.7	0.9999416
	43	28,149,346.88	503,585.08	101.12567	-251.9	0.9999420
	41	28,143,279.34	509,652.62	101.12617	-249.7	0.9999425
	45	28,137,211.77	515,720.19	101.12633	-247.1	0.9999431
61	46'	28,131,144.19	521,787.77	101.12667	-244.2	0.9999438
	47	28,125,076.59	527,855.37	101.12717	-240.9	0.9999445
	48	28,119,008.96	533,923.00	101.12750	-237.3	0.9999454
	49	28,112,941.31	539,990.65	101.12783	-233.3	0.9999463
	50	28,106,873.64	546,058.32	101.12833	-228.9	0.9999473
1,	51'	28,100,805.94	552,126.02	101.12867	-224.2	0.9999484
	52	28,094,738.22	558,193.74	101.12917	-219.0	0.9999496
	53	28,088,670.47	564,261.49	101.12950	-213.6	0.9999508
	51	28,082,602.70	570,329.26	101.12983	-207.7 -201.5	0.9999522 0.9999536
	55	28,076,534.91	576,397.05	101.13033	-LU1.0	0.3333330
; ?	56'	28,070,467.09	582,464.87	101.13083	-194.9 -188.0	0.9999551 0.9999567
	57	28,064,399.24	588,532.72	101.13133	-188.0	0.9999584
	58	28,058,331.36	594,600.60	101.13167	-180.6 -173.0	
	1.0	28,052,263.46	600,668.50	101.13217		0.9999602
i²	00'	28,046,195.53	606,736.43	101.13283	-164.9	0.9999620
i"	01'	28,040,127.56	612,804.40	101.13317	-156.5	0.9999640
	03	28,034,059.57	618,872.39	101.13367	-147.7	0.9999660
	(B	28,027,991.55	624,940.41	101.13417	-138.6	0.9999681
	()1	28,021,923.50	631,008.46	101.13467	-129.0	0.9999703
	(15	28,015,855.42	637,076.54	101.13517	-119.2	0.9999726

1202 CALIFORNIA LAND SURVEYOR EXAMINATION

## Constants for California Zones

Constants	, 1	II
C	2,000,000	2,000,000
Central Meridian	122° 00'	122° 00'
Rb	24,792,436.23	26,312,257.65
у о	547,078.17	516,407.35
l	0.65388 43192	0.63046 79732
	2.358 x 10 <sup>-10</sup>	2.359 x 10 <sup>-10</sup>
$\frac{2}{0} \int_0^2 \sin 1$ "	:	
$\log \frac{1}{2}$	0.372 4621 - 10	0.372 6393 - 10
$^{2}\rho_{o}\sin 1"$		
log l	9.81550 09227 - 10	9.79966 30299 - 10
log k	7.60545 70526	7.61359 91422
Constants	III	IV
C	2,000,000	2,000,000
Central Meridian	120° 30'	119° 00'
$R_{b}$	27,512,992.04	28,652,931.96
yo	455,516.19	470,526.63
l	0.61223 20427	0.59658 71443
$\frac{1}{2 \int_{0}^{2} \sin 1}$	2.359 x 10 <sup>-10</sup>	$2.360 \times 10^{-10}$
$\log \frac{1}{2} \int_{0}^{2} \sin 1''$	0.372 7729 -10	0.372 8843 - 10
/	1	
log L	9.78691 60557 -10	9.77567 38907 - 10
100	9.78691 60557 -10 7.62062 61281	